

NHS Forth Valley


Ankle Fracture

Patient Information Leaflet

A decorative graphic at the bottom of the page consisting of a light blue background with a darker blue wave shape that curves upwards from the left and downwards from the right, meeting at a point in the center.

Introduction

- A fracture is the same as a break.
- A simple fracture will be treated in a plaster.
- More complicated fractures may be fixed with pins and plates.



What should I expect when my plaster is taken off?

1. **SKIN CHANGES** – dry skin, colour changes and increased hair growth.
2. **STIFFNESS** – because your ankle has been held in one position by the plaster for a period of time.
3. **SWELLING** – your foot and ankle will be swollen, this may increase at the end of the day or if you have been upright too long.
4. **DISCOMFORT** – you may feel more pain as you begin to move and walk on your ankle. This is normal and will ease.

The above symptoms can restrict your walking initially. You may require to continue using a stick or crutches. You will be advised on this.

What should I do to help these symptoms?

5. **ELEVATION** – keep your leg elevated when you are not walking. Support your leg with pillows/cushions; make sure your foot is above the level of your hip. Doing your exercises in this position reduces swelling.
6. **COMPRESSION** – You may have been given tubigrip to use on your ankle/foot during the day. Make sure there are no wrinkles. Take it off at night.
7. **DRY SKIN/EXCESSIVE HAIR GROWTH** – wash the foot/ankle with warm water. Use a bland moisturiser (aqueous cream) for the first few days. Excessive hair growth is normal after coming out of plaster and will resolve in time.
8. **PAINKILLERS** – pain killers can be helpful. Always check instructions or ask your pharmacist or GP. Warm water soaks before exercise can help relieve pain and stiffness.
9. **ICE** – ice limits the swelling and can ease pain. Apply to ankle 4-5 times a day for 10-20 minutes. Cover a pack of frozen peas or ice with a damp towel. Do not apply ice directly to the skin, it can cause damage. If your sensation is impaired do not use ice.
10. **EXERCISE** – it is important to gently exercise your ankle joint as soon as the plaster is removed.
11. Try to **AVOID** limping by using a walking aid. If using a stick, hold in the opposite hand to the affected leg. Wear supportive footwear. Begin by walking short distances and increase as pain allows.

What exercises are useful?

It is important to regain the movement and strength in your ankle as soon as possible. These exercises are designed to reduce swelling and stiffness in the ankle. They can be started as soon as possible, but do not push into pain. Repeat the exercises 4 times a day at least.

Exercise 1: Lying on your back or in sitting, bend and straighten your ankles. Repeat 10 times each.




Exercise 2: Lying on your back or in sitting, rotate your ankle, change direction. Repeat 10 times.



Exercise 3: Sit with your legs supported and your knee straight. Put a towel around the ball of your foot; gently pull your foot towards you feeling a stretch in your calf/ankle. Hold for 20-30 seconds and repeat 5 times.



Exercise 4: In sitting or lying, turn the sole of the foot inwards and outwards, moving from the ankle. Keep your hip and knee still. Repeat 10 times.



Will my ankle get back to normal?

Your movement and strength will improve over several months and will continue to improve for up to a year. It is important to continue with your exercises and not give up! You should not drive until you have recovered good ankle movement. You can return to work when you feel able to carry out your duties. This may be immediately if you have a non-manual job or longer if you do heavy, manual work.

If you feel you need further help and have not already been referred to a physiotherapist, contact your GP.

Contact details

Physiotherapy Department

Stirling Community Hospital

01786 434061

Forth Valley Royal Hospital, Larbert

01324 566600

Patient Appointments/Cancellations

If you have an enquiry about an appointment or would like to cancel it, please call 01324 566249 or email: FV-UHB.RTT@nhs.net

If you can't go let us know!

Every month around 2,000 people across Forth Valley fail to turn up for hospital appointments. This costs the NHS millions of pounds each year and increases waiting times. So if you are unable to attend or no longer require your hospital appointment please let us know so we can offer it to someone else.

We are happy to consider requests for this publication in other languages or formats such as large print. Please call 01324 590886 (24hrs), fax 01324 590867 or email FV-UHB.disabilitydepartment@nhs.net

For all the latest health news visit www.nhsforthvalley.com follow us on [twitter](https://twitter.com/NHSForthValley) @NHSForthValley or like us on [facebook](https://www.facebook.com/nhsforthvalley) at www.facebook.com/nhsforthvalley

SMOKING IS NOT PERMITTED ON NHS FORTH VALLEY PREMISES

This includes corridors, doorways, car parks and any of our grounds. If you do smoke on NHS premises you may be liable to prosecution and a fine.



**INVESTORS
IN PEOPLE** | Silver



NHS Forth Valley
Administration Offices
Westburn Avenue, Falkirk FK1 5SU
www.nhsforthvalley.com

Re-order Ref: PIL/1045/MECR

Review Date: 2020