

Looking after your Larval Therapy

Check viability

Application



Cleanse wound





Apply to BioBag® Moisten gauze

Protect peri-wound

Place on wound



Non-occlusive dressing

Day 3 assessment



2-3 applications are usually required for complete debridement.



Non-progression of the wound indicates further debridement is required.

Wound progression & proliferation indicates completion of debridement.







Disposal



Double-bag and discard with dressings waste.



Cover with breathable pad



Prescribing

In the UK Larval Therapy is an unlicensed medicinal product. An unlicensed medicinal product should not be supplied where an equivalent licensed medicinal product can meet the special needs of the patient. BioMonde's Larval Therapy products must be procured by a doctor, supplementary prescriber or nurse independent prescriber and is available on FP10 prescription.

Treatment cycle

DAY	DAY	DAY	DAY	DAY
0	1	2	3	4 🔾
Application	Daily Care	Daily Care	Assess	Remove & Dispose

Storage

- Keep in transport containers until use
- Do not freeze
- Do not store above 25°C
- Apply before the expiry date
- For optimal results apply on the day of delivery

Viability

- Check viability before use
- Larvae should be a cream to beige colour
- Some movement should be visible
- Larvae might appear slow or sluggish
- Call 0345 230 1810 with viability concerns within 24 of receipt
- Take photos or video of viability concerns before applying or discarding

HOW TO ORDER

ORDER BEFORE 2PM FOR NEXT DAY DELIVERY

Telephone: 0345 230 1810 E-mail: orders@biomonde.com Fax: 01656 668 047

OUR CLINICAL SUPPORT TEAM ARE HERE FOR YOU

Support: clinicalsupport@biomonde.com For 24/7 support call our Clinical Helpline on 0345 230 6806